



Automotive



FREE SHIPPING ON ORDERS OF \$100 OR MORE

TO ORDER: 1-800-777-7094 MONDAY – FRIDAY 7 A.M. – 7 P.M. CT | AMSOIL.com

Power Big Savings with Preferred Customer Membership

PREFERRED CUSTOMERS ENJOY:



Reduced Pricing

Save up to 25% on every order.



Free Shipping

Free shipping on orders of \$100 or more.*



Birthday Gift

Celebrate your day with a \$5 coupon from us.



\$5 Back

Get a \$5 coupon with every \$100 you spend.



Exclusive Promotions

Receive exclusive offers throughout the year.



Free Membership

Complimentary membership renewal when you spend \$500 or more.

Plus, you will receive the quarterly *AMSOIL Magazine* with the latest product details, technical information and complete product catalog.

Six-month trial membership just \$10.

Full year of membership for just \$20.

CLICK HERE TO

ORDER NOW

Sign up at AMSOIL.com/pc today and use this referral number. ▼

Referral # **30625732**

*Orders below that threshold pay a flat shipping rate of \$9.99. Exclusions apply. See the shipping & handling policy at AMSOIL.com/storefront/shippinginformation.aspx





Product Index

Motor Oil	9
European Motor Oil	17
Diesel Oil	22
Classic/Collector Car Motor Oil	27
Transmission Fluid	29
Gear Lube	31
Filters	32
Gasoline Additives	33
Grease	33
Diesel Additives	36
Brake Fluid/Brake & Parts Cleaner	37
Cleaners and Protectants	38
Coolant and Power Steering Fluid	39



All AMSOIL lubricants and filters are covered by the AMSOIL Limited Warranty. For details visit AMSOIL.com/warranty.aspx.


All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use.

Automotive

AMSOIL synthetic motor oils are crafted in the lab using ultra-premium base oils and additives. We don't fool around with conventional refining techniques or low-grade chemicals that leave performance to chance. We design lubricants to precise requirements and the highest performance standards so you can be confident that your vehicle is protected.

- **Industry**-leading performance and protection
- **Engineered** for advanced automotive technology like turbos and direct injection
- **Reserve** protection that allows you to go longer between oil changes if you choose





Signature Series Protects Against LSPI

AMSOIL Synthetic Motor Oils achieved **100% protection** against LSPI.^B



Example of piston damage due to an LSPI event observed during the testing of a competitor's motor oil. The red arrows indicate sections of the ring land that have broken away from the piston.

^BBased on zero LSPI events in five consecutive tests of AMSOIL Signature Series, XL and OE 5W-30 Motor Oil in the LSPI engine test required by the GM dexos1 Gen 2 specification.

Why spend thousands on a car and cheap out on oil? AMSOIL products are the best available and a great investment to keep your vehicle running smooth.

– **Bryan**
Verified Buyer

How Do AMSOIL Products Stand Up?

Gasoline Vehicles

OUTPERFORMS INDUSTRY STANDARDS

The Sequence IVA Engine Test simulates extended periods of stop-and-go driving – conditions that encourage engine wear. We used Signature Series 0W-20, the lightest viscosity in the line, to further increase the severity of the test. **AMSOIL Signature Series Synthetic Motor Oil provided 75% more engine protection against horsepower loss and wear than required by the industry standard,¹** extending the life of vital components like pistons and cams.

Signature Series Delivers Powerful Protection

AMSOIL delivers powerful protection. How good is it? An independent lab compared AMSOIL synthetic motor oil head-to-head against a leading competitor in a 100,000-mile test². AMSOIL provided far superior wear protection and kept bearings looking like new.



²Testing conducted in an independent lab using AMSOIL Signature Series 5W-30 Synthetic Motor Oil and a leading synthetic-blend 5W-30 motor oil in Ford F-150 trucks with 3.5L twin-turbo engines.

¹Based on independent testing of AMSOIL Signature Series 0W-20 using the ASTM D6891 standard test.





Signature Series Guards Turbos

Protects turbochargers **72% better** than required^C by the GM dexos1[®] Gen 2 specification.

^CBased on independent testing of AMSOIL Signature Series 5W-30 in the GM turbo coking test.

Signature Series Cleans

AMSOIL Signature Series Synthetic Motor Oil has **50% more** detergents^D to help keep oil passages clean and promote oil circulation. It provides **90% better protection** against sludge^{DD}.

^Dvs. AMSOIL OE Motor Oil[®]Based on independent testing of AMSOIL Signature Series 5W-30 in the ASTM D6593 engine test for oil screen plugging as required by the API SN PLUS specification.

AMSOIL Keeps Pistons Cleaner

Even after doubling the length of the industry-standard test, AMSOIL delivered **40% cleaner pistons** than required by the standard.^{FF}



^{FF}Based on independent testing of AMSOIL Signature Series 5W-30 in the Sequence IIIH Engine Test (ASTM D8111), required by the ILSAC GF-6 and API SP specifications.

AMSOIL Helps Keep Engines Cleaner


AMSOIL Signature Series is fortified with a heavy treatment of detergent additives, delivering **28 percent more acid-neutralizing power** than Mobil 1* and helping engines stay cleaner, longer.^{LL}

^{LL}Based upon independent testing of Mobil 1 Annual Protection Full Synthetic 5W-30 and AMSOIL Signature Series 5W-30 in ASTM D2896. Oils purchased July 2020.



AMSOIL Resists Viscosity Increase

Signature Series is barely challenged by the industry-standard testing, demonstrating only a 0.1% viscosity increase. Even when the test length is doubled, Signature Series **delivered twice the viscosity control** required by the standard.^{GG}



^{GG}Based on independent testing of AMSOIL Signature Series 5W-30 in the Sequence IIHH Engine Test (ASTM D6111), required by the ILSAC GF-6 and API SP specifications.





Signature Series Synthetic Motor Oil

Engineered for enthusiasts seeking maximum protection and performance. Precision-formulated with cutting-edge technology and a longstanding devotion to making the world's best motor oil. The result: engine protection that blows the doors off the highest industry standards.

● 0W-20

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ASMQT	-EA	1 Quart	11.89	15.49
ASMQT	-CA	12 Quarts	134.75	183.50
ASM1G	-EA	1 Gallon	44.29	57.69
ASM1G	-CA	4 Gallons	167.85	229.05

● 5W-20

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ALMQT	-EA	1 Quart	11.89	15.49
ALMQT	-CA	12 Quarts	134.75	183.50
ALM1G	-EA	1 Gallon	44.29	57.69
ALM1G	-CA	4 Gallons	167.85	229.10

● 0W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AZOQT	-EA	1 Quart	11.89	15.49
AZOQT	-CA	12 Quarts	134.75	183.50
AZO1G	-EA	1 Gallon	44.29	57.69
AZO1G	-CA	4 Gallons	167.85	229.05

● 5W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ASLQT	-EA	1 Quart	11.89	15.49
ASLQT	-CA	12 Quarts	134.75	183.55
ASL1G	-EA	1 Gallon	44.29	57.69
ASL1G	-CA	4 Gallons	167.85	229.10

● 10W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ATMQT	-EA	1 Quart	11.89	15.49
ATMQT	-CA	12 Quarts	134.75	183.55
ATM1G	-EA	1 Gallon	44.29	57.69
ATM1G	-CA	4 Gallons	167.85	229.15

● 0W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AZFQT	-EA	1 Quart	11.89	15.49
AZFQT	-CA	12 Quarts	134.75	183.50

○ 5W-50

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AMRQT	-EA	1 Quart	11.89	15.49
AMRQT	-CA	12 Quarts	134.75	183.55





Extended-Life 100% Synthetic Motor Oil

Overbuilt for road warriors so they can confidently drive up to 20,000 miles or one year, whichever comes first, between oil changes. A proprietary combination of advanced synthetic base oils and a boosted additive package promotes cleanliness and prolonged engine life.

● XL 0W-20

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
XLZQT	-EA	1 Quart	9.89	13.09
XLZQT	-CA	12 Quarts	112.25	154.60
XLZ1G	-EA	1 Gallon	38.79	50.99
XLZ1G	-CA	4 Gallons	146.95	202.15

● XL 5W-20

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
XLMQT	-EA	1 Quart	9.89	13.09
XLMQT	-CA	12 Quarts	112.25	154.60
XLM1G	-EA	1 Gallon	38.79	50.99
XLM1G	-CA	4 Gallons	146.95	202.15

● XL 5W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
XLFQT	-EA	1 Quart	9.89	13.09
XLFQT	-CA	12 Quarts	112.25	154.60
XLF1G	-EA	1 Gallon	38.79	50.99
XLF1G	-CA	4 Gallons	146.95	202.15

● XL 10W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
XLTQT	-EA	1 Quart	9.89	13.09
XLTQT	-CA	12 Quarts	112.25	154.60
XLT1G	-EA	1 Gallon	38.79	50.99
XLT1G	-CA	4 Gallons	146.95	202.15

○ XL 10W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
XLOQT	-EA	1 Quart	9.89	13.09
XLOQT	-CA	12 Quarts	112.25	154.60
XLO1G	-EA	1 Gallon	38.79	50.99
XLO1G	-CA	4 Gallons	146.95	202.15

HE016



HE020



100% Synthetic Hybrid Motor Oil

Custom formulation designed to combat the unique challenges posed by hybrid electric vehicles (HEV) and plug-in hybrid electric vehicles (PHEV).

● 0W-16

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
HE016QT	-EA	1 Quart	8.99	11.89
HE016QT	-CA	12 Quarts	102.05	141.50

● 0W-20

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
HE020QT	-EA	1 Quart	8.99	11.89
HE020QT	-CA	12 Quarts	102.05	141.50


AMSOIL Delivers Better Cold-Temperature Protection

AMSOIL provides up to **16% better** low-temperature viscosity than Mobil 1,[†] delivering better protection at startup.^{††}

Cold-Cranking Simulator

ASTM D5293

Lower = Better



^{††}Based on independent, third-party testing of AMSOIL 0W-20 100% Synthetic Hybrid Motor Oil and Mobil 1 0W-20 Hybrid Full Synthetic Motor Oil (batch code 10222M14A RN6613 326900 D340BUDE016 purchased April 17, 2023) in the industry-standard ASTM D5293 Cold Crank Simulator test as required by SAE J300.

HM020



HM520



HM530



HM1030



100% Synthetic High-Mileage Motor Oil

Designed specifically for the unique demands of high-mileage engines, helping extend the life of vehicles.

● 0W-20

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
HM020QT	-EA	1 Quart	8.99	11.89
HM020QT	-CA	12 Quarts	102.05	141.50

● 5W-20

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
HM520QT	-EA	1 Quart	8.99	11.89
HM520QT	-CA	12 Quarts	102.05	141.50

● 5W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
HM530QT	-EA	1 Quart	8.99	11.89
HM530QT	-CA	12 Quarts	102.05	141.50

● 10W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
HM1030QT	-EA	1 Quart	8.99	11.89
HM1030QT	-CA	12 Quarts	102.05	141.50

^{*}All trademarked names are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use.

OES



OEZ



OEM



OEF



OET



OE Synthetic Motor Oil

Delivers 100% synthetic engine protection for advanced automotive technology, including turbos and direct injection. Specifically formulated for the longer drain intervals recommended by original equipment (OE) manufacturers.

● OE 0W-16

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
OESQT	-EA	1 Quart	7.49	9.99
OESQT	-CA	12 Quarts	84.40	118.95

● OE 0W-20

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
OEZQT	-EA	1 Quart	7.49	9.99
OEZQT	-CA	12 Quarts	84.40	118.95
OEZ1G	-EA	1 Gallon	29.39	39.59
OEZ1G	-CA	4 Gallons	111.10	156.25

● OE 5W-20

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
OEMQT	-EA	1 Quart	7.49	9.99
OEMQT	-CA	12 Quarts	84.40	118.95
OEM1G	-EA	1 Gallon	29.39	39.59
OEM1G	-CA	4 Gallons	111.10	156.25

● OE 5W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
OEFQT	-EA	1 Quart	7.49	9.99
OEFQT	-CA	12 Quarts	84.40	118.95
OEF1G	-EA	1 Gallon	29.39	39.59
OEF1G	-CA	4 Gallons	111.10	156.25

● OE 10W-30


STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
OETQT	-EA	1 Quart	7.49	9.99
OETQT	-CA	12 Quarts	84.40	118.95

OE Protects Against Wear

Provides **47 percent more wear protection.**⁹

PEUGEOT TU3M WEAR TEST

Lower Number = Less Wear



⁹Based on independent testing of OE 0W-20 in the Peugeot TU3M Wear Test as required by the dexos1 Gen 2 specification.



My Porsche* loves this. AMSOIL is the best oil I've used. It protects my engine and endures all the abuse I give it!

– **Mark**
Meridian, Idaho



European

European performance and styling define a culture of exceptional engineering. AMSOIL matches that devotion to precision by engineering oil that exceeds the demands of your European vehicle. When excellence is required, you need AMSOIL.

AMSOIL Synthetic European Motor Oil provides premium protection, outstanding cleanliness, minimum exhaust emissions and all-season performance.

- **Emissions** system protection
- **Outstanding** all-season performance
- **Excellent** for turbochargers







AEL



AFL



EFO



EFM



AFE



Ezt



EOT



ETS

Synthetic European Motor Oil

Provides exceptional performance and protection for gasoline, diesel and hybrid European vehicles.

● 5W-30 LS ¹³					
STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE	
AELQT	-EA	1 Quart	12.59	16.39	
AELQT	-CA	12 Quarts	142.60	193.40	
AEL1G	-EA	1 Gallon	49.49	63.99	
AEL1G	-CA	4 Gallons	187.40	253.90	

● 5W-40 MS					
STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE	
AFLQT	-EA	1 Quart	11.89	15.49	
AFLQT	-CA	12 Quarts	134.55	183.15	
AFL1G	-EA	1 Gallon	46.69	60.59	
AFL1G	-CA	4 Gallons	176.90	240.50	

● 0W-40 FS ¹³					
STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE	
EFOQT	-EA	1 Quart	11.19	14.59	
EFOQT	-CA	12 Quarts	127.00	173.40	

● 5W-40 FS ¹³					
STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE	
EFMQT	-EA	1 Quart	8.89	11.89	
EFMQT	-CA	12 Quarts	100.95	140.20	
EFM1G	-EA	1 Gallon	35.09	46.59	
EFM1G	-CA	4 Gallons	132.90	184.30	


● 0W-20 LS					
STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE	
AFEQT	-EA	1 Quart	10.79	14.09	
AFEQT	-CA	12 Quarts	122.05	167.10	

● 0W-20 LS-VW ³¹					
STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE	
EZTQT	-EA	1 Quart	11.59	14.99	
EZTQT	-CA	12 Quarts	131.15	178.65	

● 0W-30 MS					
STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE	
EOTQT	-EA	1 Quart	10.59	13.99	
EOTQT	-CA	12 Quarts	120.45	165.10	

○ 10W-60 FS					
STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE	
ETSQT	-EA	1 Quart	9.79	12.99	
ETSQT	-CA	12 Quarts	110.95	153.05	

^{13, 31}See page 39 for Proposition 65 information for this product.



AMSOIL Is the real deal. Nothing works better in my '07 6.0L Power Stroke Diesel. You really notice the difference on the cold starts. It runs smooth compared to any other oil I have used.

– **Russell**
New Mexico

Diesel

We engineer our synthetic diesel oils with the same passion and pride you put into your diesel, providing protection you can depend on in the most severe operating conditions. Your investment deserves a diesel oil that's up to the challenge. Your investment deserves AMSOIL.

- **Excellent** wear protection
- **Reduced** oil consumption
- **Excels** in extreme temperatures



How Do AMSOIL Products Stand Up?

Diesel Vehicles


MORE BUILT-IN PROTECTION

Detroit Diesel,* a leader in diesel engine technology, sets a standard for measuring cylinder liner and ring wear with its DD13 Scuffing Test for the DFS 93K222 specification. The test simulates real-world use with a modified Detroit Diesel DD13 diesel engine. Cylinder liner scuffing and top ring wear are measured and used oil analysis is performed to determine wear levels during the test.

Third-party testing shows **AMSOIL Heavy-Duty Synthetic Diesel Oil delivers 4X more protection against wear than required by Detroit Diesel's standard¹**. For even greater protection, **Signature Series Max-Duty Synthetic Diesel Oil provides 6X more wear protection than required by the standard²**.

¹Based on third-party testing in the Detroit Diesel DD13 Scuffing Test for specification DFS 93K222 using 10W-30 as worst-case representation.

²Based on third-party testing in the Detroit Diesel DD13 Scuffing Test for specification DFS 93K222 using 5W-30 as worst-case representation.





Keeps Turbos Clean


AMSOIL Signature Series Max-Duty Synthetic Diesel Oil provides protection boosted to the max, delivering up to **60% better turbo cleanliness^d** and withstanding the extra demands you place on the turbo when pulling heavy loads or updating the tune for maximum horsepower.

^dBased on specification standards of CAT C13 2nd Ring Top Land Carbon testing.

Protects Against Rust

Provides up to **2X better rust protection.^k**


Test results describe and represent properties of oils that were acquired on the dates listed in Table 1 (see www.amsoil.com/rusttest.aspx). Results do not apply to any subsequent reformulations of such oils or to new oils introduced after completion of testing. All oils were available to consumers at the time of purchase. Testing was completed in November 2017.



^kBased on industry standard testing using the NMMA FC-W Rust Test.

Reduces Oil Consumption

Heavy-Duty Synthetic Diesel Oil provides up to **66% less** oil consumption, while Signature Series Max-Duty Synthetic Diesel Oil provides up to **76% less** oil consumption.^l



^lThan required by the API CK-4 standard in the Caterpillar-1N oil consumption test.



Signature Series Max-Duty Synthetic Diesel Oil

The top tier of AMSOIL protection and performance for diesel engines. Provides 6X more engine protection.*

● 5W-30¹³

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DHDQT	-EA	1 Quart	11.19	14.69
DHDQT	-CA	12 Quarts	126.90	173.40
DHD1G	-EA	1 Gallon	43.99	57.39
DHD1G	-CA	4 Gallons	166.70	227.50
DHDTP	-EA	(1) 2.5-Gallon	108.80	139.80
DHDTP	-CA	(2) 2.5-Gallons	206.25	277.60

● 10W-30¹³

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DTTQT	launching in October			
DTT1G	-EA	1 Gallon	43.99	57.39
DTT1G	-CA	4 Gallons	166.70	227.55
DTTTP	-EA	(1) 2.5-Gallon	108.80	139.75
DTTTP	-CA	(2) 2.5-Gallons	206.25	277.45

● 0W-40¹³

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DZFQT	-EA	1 Quart	11.19	14.59
DZFQT	-CA	12 Quarts	126.90	173.30
DZF1G	-EA	1 Gallon	43.99	57.39
DZF1G	-CA	4 Gallons	166.70	227.40

● 5W-40¹³

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DEOQT	-EA	1 Quart	11.19	14.69
DEOQT	-CA	12 Quarts	126.90	173.40
DEO1G	-EA	1 Gallon	43.99	57.39
DEO1G	-CA	4 Gallons	166.70	227.55
DEOTP	-EA	(1) 2.5-Gallon	108.80	139.85
DEOTP	-CA	(2) 2.5-Gallons	206.25	277.70

● 15W-40¹³

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DMEQT	-EA	1 Quart	11.19	14.69
DMEQT	-CA	12 Quarts	126.90	173.55
DME1G	-EA	1 Gallon	43.99	57.39
DME1G	-CA	4 Gallons	166.70	227.70
DMETP	-EA	(1) 2.5-Gallon	108.80	139.95
DMETP	-CA	(2) 2.5-Gallons	206.25	277.85

Heavy-Duty Synthetic Diesel Oil

Outstanding protection and performance for customers seeking an upgrade over conventional and other synthetic diesel oils. Provides 4X more engine protection.**

● 10W-30¹³

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADNQT	-EA	1 Quart	7.79	10.49
ADNQT	-CA	12 Quarts	88.05	123.70
ADN1G	-EA	1 Gallon	28.99	39.19
ADN1G	-CA	4 Gallons	109.80	154.75
ADNTP	-EA	(1) 2.5-Gallon	71.30	95.05
ADNTP	-CA	(2) 2.5-Gallons	135.15	188.05

● 5W-40¹³

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADOQT	-EA	1 Quart	7.79	10.49
ADOQT	-CA	12 Quarts	88.05	123.65
ADO1G	-EA	1 Gallon	28.99	39.19
ADO1G	-CA	4 Gallons	109.80	154.70
ADOTP	-EA	(1) 2.5-Gallon	71.30	95.05
ADOTP	-CA	(2) 2.5-Gallons	135.15	188.00

● 15W-40¹³

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADPQT	-EA	1 Quart	7.79	10.49
ADPQT	-CA	12 Quarts	88.05	123.75
ADP1G	-EA	1 Gallon	28.99	39.19
ADP1G	-CA	4 Gallons	109.80	154.85
ADPTP	-EA	(1) 2.5-Gallon	71.30	95.10
ADPTP	-CA	(2) 2.5-Gallons	135.15	188.15

¹³See page 39 for Proposition 65 information for this product.

*Based on third-party testing in the Detroit Diesel DD13 Scuffing Test for specification DFS 93K222 using 5W-30 as worst-case representation.

**Based on third-party testing in the Detroit Diesel DD13 Scuffing Test for specification DFS 93K222 using 10W-30 as worst-case representation.

HDD



AME



Like Heavy Duty Diesel and Marine Oil? Try Signature Series Max-Duty 15W-40 for a serious upgrade. See page 22.

CI-4+ Synthetic Diesel Oils

Provides protection for diesel applications not equipped with diesel particulate filters (DPFs) where extra TBN is desired for long service intervals.

● 15W-40 Synthetic Heavy Duty Diesel and Marine Oil¹³

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AMEQT	-EA	1 Quart	11.79	15.29
AMEQT	-CA	12 Quarts	133.10	181.45
AME1G	-EA	1 Gallon	46.19	59.99
AME1G	-CA	4 Gallons	174.90	238.20
AMETP	-EA	(1) 2.5-Gallon	114.25	146.45
AMETP	-CA	(2) 2.5-Gallons	216.50	290.80

100% Synthetic Diesel Oil

Engineered for smaller American diesel pickups, vans, cars and SUVs to provide up to 6X* more wear protection and increased fuel economy.

● 0W-20

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DP020QT	-EA	1 Quart	10.59	13.89
DP020QT	-CA	12 Quarts	120.35	164.90

● 5W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DP530QT	-EA	1 Quart	10.09	13.39
DP530QT	-CA	12 Quarts	114.70	157.70

DP020



DP530



Premium Protection Synthetic Motor Oil

Ideal for gasoline engines and diesel applications not equipped with diesel particulate filters (DPF), where the extra protection of a high-zinc formula is desired.

● 10W-40¹³

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AMOQT	-EA	1 Quart	11.79	15.39
AMOQT	-CA	12 Quarts	133.60	182.00
AM01G	-EA	1 Gallon	46.39	60.19
AM01G	-CA	4 Gallons	175.60	239.00
AM0TP	-EA	(1) 2.5-Gallon	114.70	146.95
AM0TP	-CA	(2) 2.5-Gallons	217.40	291.80

● 20W-50¹³

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AROQT	-EA	1 Quart	12.29	15.99
AROQT	-CA	12 Quarts	139.50	189.70
AR0TG	-EA	1 Gallon	48.39	62.79
AR0TG	-CA	4 Gallons	183.45	249.25

AMO



ARO



Oil Analyzers

AMSOIL offers oil analysis service options from Oil Analyzers Inc.® By analyzing used engine oil, a qualified lab can detect mechanical problems your equipment may have developed. For more information, visit www.oiltesting.com.

STOCK#	PKG./SIZE	P.C. PRICE	FULL PRICE
KIT01	1 sample kit (includes two-way postage)	29.95	35.75
KIT02	1 sample kit (includes UPS shipping)	29.95	35.75
KIT06	1 sample kit	21.65	25.90
KIT14	1 value sample kit	16.60	19.90
G1206	Oil Suction Pump w/10-ft. hose	26.25	28.90
G1571	Replacement Hose 25-ft.	8.35	9.20

¹³See page 39 for Proposition 65 information for this product.



CARLISLE
Events



Just the perfect oil for my old flathead
V8 Ford. Great engine protection!

– **Arthur**
Verified Buyer

Classic

There's a reason they're called classics. These legendary cars had horsepower to spare, and styling to accompany it. It's only right to pair them with lubricants designed to help you put all that power on the pavement.

AMSOIL delivers synthetic lubricants specially designed to provide maximum horsepower and advanced protection in classic cars. With unique, high-end formulations and proprietary rust and corrosion protection, AMSOIL provides the precision performance your classic car deserves.

- **High-zinc** formula
- **Performs** on the street & protects during storage
- **Withstands** extreme heat







Z-ROD® Synthetic Motor Oil

High-zinc, high-phosphorus formulation engineered specifically for classic cars and performance vehicles.

● 10W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ZRTQT	-EA	1 Quart	11.59	15.19
ZRTQT	-CA	12 Quarts	131.70	179.60

● 10W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ZRDQT	-EA	1 Quart	11.59	15.19
ZRDQT	-CA	12 Quarts	131.70	179.65

● 20W-50

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ZRFQT	-EA	1 Quart	14.09	18.09
ZRFQT	-CA	12 Quarts	159.25	215.00

Assembly Lube¹⁷

Formulated to cling to engine parts and provide exceptional wear protection in newly built or rebuilt high-performance, racing and other four-stroke engines.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
EALTB	-EA	(1) 4-oz. Tube	8.59	10.79
EALTB	-CA	(12) 4-oz. Tubes	96.95	128.55

● Break-In Oil¹⁷

Allows for quick and efficient piston ring seating in new and rebuilt high-performance and racing engines.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
BRKQT	-EA	1 Quart	8.89	11.89
BRKQT	-CA	12 Quarts	100.95	140.45

¹⁷See page 39 for Proposition 65 information for this product.



Performance and Protection

AMSOIL transmission fluids are designed to keep your vehicle's drivetrain **performing the way it should** — smooth shifting, no slipping or shudder and dependable torque transfer.

Signature Series Synthetic ATF

Provides reserve protection in fleet vehicles, heavy-duty pickups, work trucks and other severe-service applications that quickly break down other lubricants.

● Multi-Vehicle³⁷

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ATFQT	-EA	1 Quart	14.59	18.69
ATFQT	-CA	12 Quarts	165.30	222.40
ATFPK	-EA	1 Quart Easy-Pack	17.09	21.69
ATFPK	-CA	12 Quart Easy-Packs	193.60	258.65
ATF1G	-EA	1 Gallon	57.49	73.59
ATF1G	-CA	4 Gallons	217.85	292.80
ATFTP	-EA	(1) 2.5-Gallon	142.55	180.10
ATFTP	-CA	(2) 2.5-Gallons	270.20	358.10

● Fuel-Efficient³⁷

Provides the same benefits as AMSOIL Multi-Vehicle Synthetic Automatic Transmission Fluid in a fuel-efficient formulation engineered to exceed the requirements of GM*, Ford*, Toyota* and other original equipment manufacturers (OEMs) where low-viscosity oil is required.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ATLQT	-EA	1 Quart	14.59	18.69
ATLQT	-CA	12 Quarts	165.45	222.50
ATLPK	-EA	1 Quart Easy-Pack	17.09	21.69
ATLPK	-CA	12 Quarts Easy-Packs	193.75	258.75
ATL1G	-EA	1 Gallon	57.59	73.69
ATL1G	-CA	4 Gallons	218.05	292.95
ATLTP	-EA	(1) 2.5-Gallon	142.70	180.10
ATLTP	-CA	(2) 2.5-Gallons	270.45	358.20

OE Synthetic ATF

Resists wear and provides smooth shifts in passenger car/light truck automatic transmissions.

● Multi-Vehicle¹³

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
OTFQT	-EA	1 Quart	9.39	12.49
OTFQT	-CA	12 Quarts	106.75	147.55
OTF1G	-EA	1 Gallon	37.09	48.99
OTF1G	-CA	4 Gallons	140.65	194.10
OTFTP	-EA	(1) 2.5-Gallon	91.65	119.30
OTFTP	-CA	(2) 2.5-Gallons	173.70	236.50

● Fuel-Efficient¹³

Provides the same benefits as AMSOIL OE Multi-Vehicle Synthetic Automatic Transmission Fluid in a fuel-efficient formulation engineered to exceed the requirements of GM, Ford, Toyota and other original equipment manufacturers (OEMs) where low-viscosity oil is required.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
OTLQT	-EA	1 Quart	9.39	12.39
OTLQT	-CA	12 Quarts	106.90	147.75
OTL1G	-EA	1 Gallon	37.19	49.09
OTL1G	-CA	4 Gallons	140.85	194.30
OTLTP	-EA	(1) 2.5-Gallon	91.75	119.45
OTLTP	-CA	(2) 2.5-Gallons	173.90	236.80

○ Synthetic CVT Fluid

Provides outstanding protection and performance for continuously variable transmissions (CVT) throughout original equipment manufacturer (OEM)-recommended drain intervals.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
CVTQT	-EA	1 Quart	13.39	17.89
CVTQT	-CA	12 Quarts	151.45	211.95
CVT1G	-EA	1 Gallon	52.59	70.19
CVT1G	-CA	4 Gallons	199.35	278.75

¹⁷See page 39 for Proposition 65 information for this product.

DCT



● 100% Synthetic DCT Fluid

Designed to protect high-tech dual-clutch transmissions during the most intense, high-heat operating conditions.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DCTQT	-EA	1 Quart	20.79	28.09
DCTQT	-CA	12 Quarts	236.30	335.65

MTG



○ Synthetic Manual Transmission and Transaxle Gear Lube¹⁵

Provides improved internal component protection.

Formulated with extreme-pressure additives and advanced frictional qualities that provide smooth shifts while protecting gears, bearings and seals. Non-corrosive to yellow metals.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MTGQT	-EA	1 Quart	17.49	22.19
MTGQT	-CA	12 Quarts	198.45	264.85
MTGPK	-EA	1 Quart Easy-Pack	19.09	24.19
MTGPK	-CA	12 Quart Easy-Packs	217.10	288.70

MTF



● Synthetic Synchronesh Transmission Fluid

Specifically designed to deliver smooth shifts and superior wear protection in manual transmissions and transaxles with synchronizers.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MTFQT	-EA	1 Quart	15.79	20.19
MTFQT	-CA	12 Quarts	178.65	239.75

ADA



● Slip Lock® Differential Additive²¹

Designed to eliminate gear-housing chatter in cars, trucks and SUVs equipped with limited-slip differentials.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADATB	-EA	(1) 4-oz. Tube	9.09	11.49
ADATB	-CA	(12) 4-oz. Tubes	102.95	136.40

Tough-to-reach fill hole?

Order a flexible pour spout with your oil to make the job easier. Fits quarts and gallons.

STOCK#	P.C. PRICE	FULL PRICE
G1230	0.80	0.90



^{15, 21}See page 39 for Proposition 65 information for this product.

SVG



AGL



SVT



SVO



SEVERE GEAR® Synthetic Gear Lube

Specifically engineered for high-demand applications, including trailer towing, heavy hauling, 4x4 off-road driving, commercial use and racing. Flexible easy-pack helps you access tough-to-reach fill holes and eliminates the need for a pump.

● 75W-90

Top fuel efficiency and cold-temperature performance

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
SVGQT	-EA	1 Quart	17.29	22.09
SVGQT	-CA	12 Quarts	196.45	262.45
SVGPK	-EA	1 Quart Easy-Pack	17.29	22.09
SVGPK	-CA	12 Quart Easy-Packs	196.45	262.45

● 80W-90¹³

Excellent extreme-temperature performance and wear protection

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AGLQT	-EA	1 Quart	13.09	16.89
AGLQT	-CA	12 Quarts	148.20	200.85
AGLPK	-EA	1 Quart Easy-Pack	14.69	18.89
AGLPK	-CA	12 Quart Easy-Packs	166.65	224.45

● 75W-110

Extra viscosity protection without sacrificing fuel efficiency

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
SVTQT	-EA	1 Quart	17.49	22.29
SVTQT	-CA	12 Quarts	198.30	264.85
SVTPK	-EA	1 Quart Easy-Pack	19.19	24.39
SVTPK	-CA	12 Quart Easy-Packs	217.85	289.85

● 75W-140


Maximum viscosity protection for severe-duty applications

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
SVOQT	-EA	1 Quart	18.99	24.19
SVOQT	-CA	12 Quarts	216.00	287.50
SVOPK	-EA	1 Quart Easy-Pack	18.99	24.19
SVOPK	-CA	12 Quart Easy-Packs	216.00	287.50

FloTool Flexible Pour Spout

Flexible spout conveniently attaches to the AMSOIL Easy-Pack, quart and gallon packages and is designed to improve accessibility to hard-to-reach fill ports.

STOCK#	P.C. PRICE	FULL PRICE
G3721	4.20	4.65




G3721

¹³See page 39 for Proposition 65 information for this product.

Oil Filters

AMSOIL Oil Filters rank among the highest efficiency filters available to the auto/light-truck and powersports markets, providing a filtering efficiency of 99% at 20 microns. Advanced full-synthetic technology provides greater efficiency, capacity and durability than cellulose filters, extending engine and filter life and reducing engine wear. AMSOIL Oil Filters offer an extended service life of up to 25,000 miles or 1 year, whichever comes first. Easy-grip coating eases the job of tightening and loosening filters. Note: Change oil filter at every oil change. Call 1-800-777-7094 (Monday-Friday, 7 a.m.- 7 p.m. Central) or look up your vehicle at AMSOIL.com to determine the appropriate filter for each application.



Oil Filters

STOCK#	UNITS	P.C. PRICE	FULL PRICE
EA15K01	-EA	19.70	24.95
EA15K02	-EA	14.05	17.85
EA15K03	-EA	12.95	16.40
EA15K04	-EA	15.30	19.45
EA15K05	-EA	9.45	12.05
EA15K06	-EA	22.15	28.05
EA15K07	-EA	8.75	11.10
EA15K08	-EA	23.45	29.75
EA15K09	-EA	9.85	12.75
EA011	-EA	18.05	23.10
EA15K12	-EA	17.40	22.15
EA15K13	-EA	10.35	13.30
EA015	-EA	19.10	24.60
EA15K16	-EA	22.60	28.60
EA017	-EA	14.80	19.05
EA15K19	-EA	19.25	24.65
EA15K20	-EA	12.80	16.45
EA023	-EA	14.95	19.20
EA024	-EA	23.25	29.75
EA026	-EA	25.70	32.85
EA15K28	-EA	23.60	30.10
EA15K29	-EA	13.40	17.25

STOCK#	UNITS	P.C. PRICE	FULL PRICE
EA15K32	-EA	13.40	17.25
EA034	-EA	15.45	19.80
EA15K35	-EA	22.75	28.75
EA15K37	-EA	19.20	24.65
EA15K38	-EA	7.35	9.25
EA15K39	-EA	28.75	36.60
EA042	-EA	19.05	24.40
EA15K43	-EA	21.90	27.70
EA15K49	-EA	35.05	44.60
EA15K50	-EA	13.90	17.90
EA15K51	-EA	15.20	19.55
EA052	-EA	22.95	29.35
EA15K53	-EA	15.00	19.30
EA15K54	-EA	24.85	31.70
EA055	-EA	40.45	51.10
EA059	-EA	19.80	25.35
EA064	-EA	14.20	18.20
EA080	-EA	22.05	28.30
EA15K88	-EA	28.45	35.90
EA098	-EA	31.85	40.75
EA099	-EA	40.15	51.30

EABP



Bypass Filters

High-efficiency bypass filters effectively remove minute dirt particles and soot down to 2 microns.

AST



API



UCL



GLC

NLGI #2
GC-LB

GSP



Gasoline Stabilizer¹³

Helps prevent the formation of varnish and sludge in stored seasonal equipment such as snowmobiles, lawnmowers, motorcycles and boats. One oz. treats 2.5 gallons of gasoline.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ASTCN	-EA	(1) 16-oz. Bottle	11.69	15.09
ASTCN	-CA	(6) 16-oz. Bottles	66.30	89.90


P.i.[®] 13

Maximizes fuel economy and reduces emissions in gasoline direct-injected and port-fuel-injected engines. Cleans stubborn, power-robbing deposits from injectors, valves and the combustion chamber. Add entire bottle to tank at fill-up.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
APICN	-EA	(1) 12-oz. Bottle	12.99	16.69
APICN	-CA	(12) 12-oz. Bottles	147.75	198.30

AMSOIL Restores Horsepower

AMSOIL P.i.[®] restores up to 14% horsepower.¹³



¹³Based on third-party testing in a 2016 Chevrolet® Silverado® 1500, 5.3L V-8 GDI with 100,616 miles, using one tank treated with AMSOIL P.i.[®] Actual results may vary.

Upper Cylinder Lubricant Gasoline Additive¹³

Lubricates fuel system and upper cylinders. Fights ethanol-related corrosion. Helps keep injectors clean. Bottle compatible with capless fuel systems. Use entire bottle at every fill-up.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
UCLCN	-EA	(1) 6-oz. Bottle	4.49	5.79
UCLCN	-CA	(12) 6-oz. Bottles	50.45	69.05

Spray Grease

Applies quickly and evenly and is ideal for greasing hard-to-reach equipment, including hinges, springs, industrial chains, latches, slides, winches and other common applications.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
GSPSC	-EA	(1) 10-oz. Spray Can	9.29	11.79
GSPSC	-CA	(12) 10-oz. Spray Cans	104.90	139.60

Synthetic Multi-Purpose Grease

Delivers premium wear protection for bearings, bushings, chassis lubrication and other applications.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
GLCCR	-EA	(1) 14-oz. Cartridge	9.09	12.49
GLCCR	-CA	(10) 14-oz. Cartridges	87.70	119.25

¹³ See page 39 for Proposition 65 information for this product.

Diesel All-In-One

Specially engineered to provide exceptional all-season protection for a serious performance boost. One dose delivers outstanding detergency, improved lubricity, better cold flow and higher cetane.



- **Cleans** dirty injectors to help restore horsepower and improve fuel economy



- **Lubricates** fuel pump and injectors to reduce wear




- **Fights** gelling in cold weather, enhancing fuel flow and helping prevent fuel-filter plugging



- **Increases** cetane up to 4 points for maximum horsepower, increased fuel economy and easier starts

Cetane

(The higher the number, the better.)




¹Based on third-party testing in July 2017 of AMSOIL Diesel All-In-One and Howes Lubricator Diesel Treat using diesel fuel representative of the U.S. marketplace and Howes' recommended treat ratio for above 0°F.



Lubricity Improvement

(The lower the number, the better.)



The ASTM D975 diesel fuel standard specifies a wear scar below 520 µm in ASTM D6079 testing, while the Engine Manufacturers Association (EMA) specifies a wear scar below 460 µm. Testing reveals AMSOIL Diesel All-In-One provides significant lubricity improvement in diesel fuels found across the U.S., delivering exceptional wear protection.

ACB



Diesel Cetane Boost

Raises the cetane number of diesel fuel up to eight points for maximum horsepower, increased fuel economy and easier starts in all diesel engines. One ounce treats up to 10 gallons of fuel.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ACBCN	-EA	(1) 16-oz. Bottle	9.29	12.19
ACBCN	-CA	(12) 16-oz. Bottles	105.65	145.00
ACBHG	-EA	(1) 64-oz. Bottle	31.59	40.69
ACBHG	-CA	(6) 64-oz. Bottles	179.60	242.10

ADF



Diesel Injector Clean¹⁹

Targets traditional nozzle deposits, combustion chamber deposits and internal diesel injector deposits found in HPCR injectors. Lubricates to reduce fuel pump and injector wear. Concentrated for rapid results, maximum horsepower and up to 8 percent increased fuel economy in engines with accumulated deposits. One ounce treats up to 5 gallons of fuel.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADFPN	-EA	(1) 8-oz. Bottle	4.99	6.69
ADFPN	-CA	(6) 8-oz. Bottles	28.25	39.50
ADFCN	-EA	(1) 16-oz. Bottle	8.29	10.89
ADFCN	-CA	(12) 16-oz. Bottles	93.70	128.90
ADFHG	-EA	(1) 64-oz. Bottle	28.39	36.49
ADFHG	-CA	(6) 64-oz. Bottles	160.95	217.30

ADS



Diesel Injector Clean + Cetane Boost²¹

Combines the superior detergency and improved lubricity of Diesel Injector Clean and the increased horsepower and cetane of Cetane Boost in one convenient package. One ounce treats up to 5 gallons of fuel.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADSPCN	-EA	(1) 8-oz. Bottle	5.99	6.99
ADSPCN	-CA	(6) 8-oz. Bottles	30.15	41.40
ADSCN	-EA	(1) 16-oz. Bottle	12.49	16.09
ADSCN	-CA	(12) 16-oz. Bottles	141.30	191.40
ADSHG	-EA	(1) 64-oz. Bottle	42.09	53.29
ADSHG	-CA	(6) 64-oz. Bottles	239.40	318.10

ADD



Diesel Cold Flow³⁸

Effectively modifies wax crystal formation at low temperatures to depress diesel fuel pour point and improve cold-flow filtration properties. Lowers the CFPP by up to 40°F (22°C) in ULSD. One ounce treats up to 5 gallons of fuel.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADDCN	-EA	(1) 16-oz. Bottle	8.89	11.69
ADDCN	-CA	(12) 16-oz. Bottles	100.75	138.10

ADB



Diesel All-In-One³⁸

Combines the superior detergency and improved lubricity of Diesel Injector Clean, the excellent cold-flow and anti-gelling properties of Diesel Cold Flow and the increased horsepower and cetane of Cetane Boost in one convenient package. One ounce treats up to 2.5 gallons of fuel.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADBPCN	-EA	(1) 8-oz. Bottle	6.29	8.29
ADBPCN	-CA	(6) 8-oz. Bottles	35.55	49.15
ADBCN	-EA	(1) 16-oz. Bottle	10.59	13.79
ADBCN	-CA	(12) 16-oz. Bottles	119.95	163.30
ADBHG	-EA	(1) 64-oz. Bottle	37.59	47.79
ADBHG	-CA	(6) 64-oz. Bottles	213.40	284.65

^{17, 19, 21, 25} See page 39 for Proposition 65 information for this product.

DRC



FOG



APF



ADG



ALS



BPC



BFLV



Diesel Recovery³⁸

Emergency diesel fuel treatment that dissolves the wax crystals that form when diesel fuel has surpassed its cloud point. One ounce treats 1 gallon of fuel.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DRCQT	-EA	(1) 30-oz. Bottle	12.39	16.09
DRCQT	-CA	(12) 30-oz. Bottles	140.85	190.85

Engine Fogging Oil¹³

Helps prevent corrosion and dry starts to internal engine components found in outboard motors, lawn and garden equipment, motorcycles, snowmobiles, ATVs, motor homes and generators during storage or long periods of inactivity.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
FOGSC	-EA	(1) 12-oz. Aerosol Can	9.69	12.29
FOGSC	-CA	(12) 12-oz. Aerosol Cans	109.85	145.70

Power Foam[®] Engine Cleaner

Improves starting and performance by cleaning dirty intake systems and spark plugs; freeing sticky valves and removing gum, varnish and carbon deposits.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
APFSC	-EA	(1) 18-oz. Spray Can	9.79	12.69
APFSC	-CA	(12) 18-oz. Spray Cans	111.45	150.70

Heavy-Duty Degreaser

Formulated with powerful and fast-acting solvents, attacking petroleum-based grime on a molecular level to loosen its hold on metal, concrete, engines and other surfaces.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADGSC	-EA	(1) 15-oz. Spray Can	12.69	16.09
ADGSC	-CA	(12) 15-oz. Spray Cans	144.35	191.45

Silicone Spray²⁶

Perfect for lubricating or protecting rubber, nylon, plastics, upholstery, vinyl, wood, cardboard, fiberglass. Also excellent for waterproofing leather products.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ALSSP	-EA	(1) 10-oz. Spray Can	9.19	11.69
ALSSP	-CA	(12) 10-oz. Spray Cans	104.00	138.45

Brake & Parts Cleaner³²

Professional strength parts cleaner that quickly removes oil, grease, brake fluid and other contaminants from brake parts and other automotive components.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
BPCSC	-EA	(1) 19-oz. Spray Can	6.09	7.99
BPCSC	-CA	(12) 19-oz. Spray Cans	68.35	94.20

DOT 3 & 4 Synthetic Brake Fluid³³

Superior high-temperature performance in auto/light-truck and high-performance applications.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
BFLVCN	-EA	(1) 12-oz. Bottle	6.69	8.69
BFLVCN	-CA	(12) 12-oz. Bottles	75.95	102.60

^{13, 21, 32, 33}See page 39 for Proposition 65 information for this product.

AMP



AMH



FLSH



AMW



AED



AGC



RDCB



MP Metal Protector¹³

Displaces water, penetrates, lubricates and protects metal surfaces from corrosion, including hinges, squeaky mechanical objects, electrical systems and more.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AMP4SC	-EA	(1) 4-oz. Spray Can	6.29	7.99
AMP4SC	-CA	(12) 4-oz. Spray Cans	71.15	93.70
AMPSC	-EA	(1) 8.75-oz. Spray Can	8.19	10.39
AMPSC	-CA	(12) 8.75-oz. Spray Cans	92.75	122.75

Heavy-Duty Metal Protector¹³

Penetrates and adheres to metal surfaces, leaving a long-lasting coating that protects against the damaging effects of salt, moisture or chemical corrosion.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AMHSC	-EA	(1) 15-oz. Spray Can	11.69	15.89
AMHSC	-CA	(12) 15-oz. Spray Cans	132.65	189.05

Engine and Transmission Flush

Helps restore operating efficiency, increase fuel economy and reduce emissions in gasoline and diesel engines and automatic transmissions.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
FLSHCN	-EA	(1) 16-oz. Bottle	11.29	14.69
FLSHCN	-CA	(12) 16-oz. Bottles	128.05	173.85

Miracle Wash[®]

Unique dry car wash and polish delivers outstanding performance and quick, easy and economical spray application. No water required.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AMWSC	-EA	(1) 13-oz. Spray Can	10.29	12.99
AMWSC	-CA	(12) 13-oz. Spray Cans	116.20	154.05

Engine Degreaser

Effectively cleans engine surfaces by cutting through grease, oil and grime.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AEDSC	-EA	(1) 15-oz. Spray Can	8.19	10.49
AEDSC	-CA	(12) 15-oz. Spray Cans	92.75	124.10

Glass Cleaner

Cuts through grease and grime faster than other leading glass cleaners, stays where you spray it and leaves no streaks.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AGCSC	-EA	(1) 19-oz. Spray Can	4.69	5.89
AGCSC	-CA	(12) 19-oz. Spray Cans	52.40	69.10

DOMINATOR[®] Coolant Boost

Helps reduce engine temperatures, increase horsepower, promote faster engine warm-up times and reduce radiator and engine corrosion in racing and passenger vehicles.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
RDCBCN	-EA	(1) 16-oz. Bottle	11.49	14.79
RDCBCN	-CA	(6) 16-oz. Bottles	65.00	87.75

¹³See page 39 for Proposition 65 information for this product.

ANTPC



ANT



● Passenger Car/Light Truck Antifreeze & Coolant²⁹

Engineered to exceed original equipment manufacturer requirements for up to 150,000 miles or 5 years, whichever comes first, in passenger cars and light trucks. Pre-mixed formula.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ANTPC1G	-EA	1 Gallon	19.29	28.29
ANTPC1G	-CA	4 Gallons	73.05	111.45

○ Propylene Glycol Antifreeze & Coolant

Combines the benefits of biodegradability, low toxicity and all-climate protection for up to 150,000 miles or 5 years, whichever comes first, in passenger cars and light trucks. Concentrated formula.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ANT1G	-EA	1 Gallon	44.99	59.59
ANT1G	-CA	4 Gallons	170.50	236.65

● Heavy-Duty Antifreeze & Coolant²⁹

Provides superior heat transfer and excellent protection against corrosion, cylinder-liner cavitation, freezing and boilover. Protection up to 1,000,000 miles, 20,000 hours or 8 years, whichever comes first. Pre-mixed formula.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ANTHD1G	-EA	1 Gallon	20.59	29.79
ANTHD1G	-CA	4 Gallons	77.90	117.65

Multi-Vehicle Synthetic Power Steering Fluid¹³

Provides excellent wear protection, long component life and quiet operation in most passenger car/light trucks.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
PSCFN	-EA	(1) 16-oz. Bottle	8.39	10.89
PSCFN	-CA	(12) 16-oz. Bottles	94.70	130.00

Fluid Extraction Pump

STOCK#	UNITS	P.C. PRICE	FULL PRICE
G2576	EA	15.75	17.35

Aids in the removal of old fluids when servicing vehicles.

ANTHD



PSF



CALIFORNIA PROPOSITION 65 WARNING STATEMENTS

13 **⚠️ WARNING:** This product can expose you to Benzene, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

15 **⚠️ WARNING:** This product can expose you to Ethanediol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

17 **⚠️ WARNING:** This product can expose you to Ethylbenzene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

19 **⚠️ WARNING:** This product can expose you to Naphthalene, which is known to the State of California to cause cancer, and Methanol which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

21 **⚠️ WARNING:** This product can expose you to Naphthalene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

26 **⚠️ WARNING:** This product can expose you to n-Hexane, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

29 **⚠️ WARNING:** This product can expose you to Ethylene Glycol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

31 **⚠️ WARNING:** This product can expose you to Benzene and Lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

32 **⚠️ WARNING:** This product can expose you to Tetrachloroethylene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

33 **⚠️ WARNING:** This product can expose you to Diethanolamine, which is known to the State of California to cause cancer, and 2-Methoxyethanol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.



AUTHORIZED DEALER # 30625732

The First in Synthetics®

SINCE 1972



- Servicing Dealer -

BRANDON WHEELER

EMAIL: INFO@OILPROTECH.COM

WEB: WWW.OILPROTECH.COM

CLICK HERE TO
ORDER NOW



ISO 9001/14001 REGISTERED

AMSOIL INC.

One AMSOIL Center
Superior, WI 54880

WE HONOR



(Discover in U.S. only)

Your Servicing AMSOIL Dealer

Use this referral number to save time and make ordering easier. Call 1-800-777-7094 or log in at AMSOIL.com. ▼

Referral # _____

AMSOIL also offers a full line of premium synthetic lubricants for powersports applications. See your servicing AMSOIL Dealer for more information.

AMSOIL INC., 925 Tower Ave., Superior, WI 54880 • 715-392-7101 • Printed in the USA
© 2023, AMSOIL INC. All rights reserved. The AMSOIL logo is a registered trademark of AMSOIL INC.



Minimum 10%
Post-Consumer Fiber

G3549 10/23